



The State of Kuwait

Patient Name : AHMAD KHALED ABDULLAH ALHARBI	Lab ID : AO
Civil ID : 295082800909	Patient File : 301877
Passport No :	Reg Date : 26-11-2021
Age/sex : 26/M	Sampling Date : 26-11-2021 11:30 PM
Nationality : KUWAIT	Result Date : 26-11-2021 10:00 AM
Ref. Drs : LAB	Serial Number : LBAO-09-25-034021

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab
SARS COV-2(COVID19) : **Negative**

Negative

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Methodology: RT PCR(NAAT)

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)